


Wholesale Catalogue

November 2022



MAKING THE RIGHT CONNECTIONS



DEBOX®

Save time and money with Debox junction boxes. All Debox junction boxes are supplied ready to use, complete with terminal blocks, 2 locking clips (one spare) and fold-out external fixing lugs. Flame retardant UL94V-0 Housing, EN60598-1 (GWT 650°C) and EN60670-22 (Pull Test).



The Original Junction Box

24A 4-Pole Terminal Block
Captive Cable Connection Screws
Screwless Cable Clamps.
Registered Design No. 002553735.
CDU of 72pcs/Cartron of 400 pcs

DEKSB-002

Size: 97 x 50 x 28.5mm

Trade Price £1.15



The Fully Screwless Junction Box

16A 4-Pole Terminal Block
Screwless Cable Connections
Screwless Cable Clamps.
Registered Design No. 002553735.
CDU of 72pcs/Cartron of 400 pcs

DEKSB-003

Size: 97 x 50 x 28.5mm

Trade Price £2.06



The Smallest 5-Pole Junction Box

32A 3-Pole Terminal Blocks x 5
Screwless Cable Connections
Unique Twin Cable Strain Anchors.
Registered Design No. 002553735-0001.
CDU of 54 pcs/Cartron of 240 pcs

DEKSB-004/5

Size: 107 x 47 x 35mm

Trade Price £2.42



50% of the size (volume)
of the Debox S/SL

The Smallest 4-Pole Junction Box

Designed to fit a 40mm aperture
24A 4-Pole Terminal Block
Captive Cable Connection Screws
Screwless Cable Clamps.
Registered Design No. 008190920.
CDU of 72pcs/Cartron of 400 pcs

DEKSB-006

Size: 80 x 35 x 25mm

Trade Price £1.29

IP65 & IP66, IK08 & IK10 DOOR ENCLOSURES

ABS-HB flame retardant plastic, sheet steel and stainless steel. 3-year corrosion warranty, metal lock & keys, pre-wired earth strap, external mounting feet & galvanised steel back plate all included.



IP66 ABS PLASTIC ENCLOSURES

Supplied with 35mm DIN RAIL & mounting screws.
Sealed to IP66 and robust to IK08.

Grey Door (RAL 7035)	Trade Price	Transparent Door	Trade Price	HxWxD
DN12E	£12.48	DN12T	£14.64	125 x 125 x 75mm
DN13E	£13.63	DN13T	£16.06	125 x 125 x 100mm
DN14E	£15.29	DN14T	£18.00	175 x 125 x 75mm
DN15E	£16.85	DN15T	£19.86	175 x 125 x 100mm
DN16E	£18.76	DN16T	£22.07	175 x 125 x 125mm
DN17E	£20.54	DN17T	£24.60	175 x 125 x 150mm



IP65, IK08 ABS PLASTIC DOOR ENCLOSURES

ABS-HB Flame retardant plastic. Galvanised steel backplate & mounting brackets. Grey (RAL 7035) body with solid or transparent door.

Grey Door (RAL 7035)	Trade Price	Transparent Door	Trade Price	HxWxD
DED001	£56.21	DED011	£70.43	300 x 200 x 130mm
DED002	£63.84	DED012	£81.59	350 x 250 x 150mm
DED004	£81.86	DED014	£105.12	400 x 300 x 170mm
DED005	£97.08	DED015	£116.28	400 x 300 x 220mm
DED006	£119.98	DED016	£143.83	500 x 350 x 190mm
DED007	£136.26	DED017	£165.05	500 x 400 x 240mm
DED008	£136.24	DED018	£165.07	600 x 400 x 200mm
DED010	£312.77	DED020	£412.36	700 x 500 x 250mm
DED3003	£119.97	DED3013	£143.83	500 x 400 x 175mm
DED3021	£414.22	DED3022	£507.01	800 x 600 x 260mm

IP66, IK10 STEEL DOOR ENCLOSURES

Galvanised steel housing & back plate guaranteed for 3 years against corrosion. Powder coated in grey (RAL7035). Lockable, with back plate & wall mounting brackets supplied.



Code	HxWxD	Trade Price
DEDS0099	250 x 200 x 130mm	£45.74
DEDS0100	300 x 200 x 130mm	£59.00
DEDS0102	300 x 300 x 150mm	£78.29
DEDS0200	350 x 250 x 150mm	£77.77
DEDS0300	500 x 400 x 175mm	£161.34
DEDS0400	400 x 300 x 170mm	£104.34
DEDS0500	400 x 300 x 220mm	£115.37
DEDS0502	400 x 400 x 200mm	£126.48
DEDS0600	500 x 350 x 190mm	£149.53
DEDS0601	500 x 400 x 200mm	£151.31
DEDS0700	500 x 400 x 240mm	£172.75
DEDS0702	500 x 500 x 200mm	£163.64
DEDS0800	600 x 400 x 200mm	£181.94
DEDS0802	600 x 400 x 250mm	£187.69
DEDS0803	600 x 600 x 200mm	£218.17
DEDS0900	800 x 400 x 200mm	£236.42
DEDS1000	700 x 500 x 250mm	£270.88
DEDS1001	800 x 600 x 260mm	£341.60
DEDS1012	1000 x 600 x 300mm	£445.02
DEDS1013	1250 x 600 x 300mm	£539.56

IP66, IK10 STAINLESS STEEL DOOR ENCLOSURES

Galvanised steel back plate guaranteed for 3 years against corrosion. Lockable, with back plate & wall mounting brackets supplied.



Code	HxWxD	Trade Price
DEDS3101	300 x 200 x 150mm	£171.14
DEDS3102	300 x 300 x 150mm	£233.37
DEDS3402	400 x 300 x 200mm	£331.85
DEDS3502	400 x 400 x 200mm	£414.79
DEDS3601	500 x 400 x 200mm	£497.80
DEDS3702	500 x 500 x 200mm	£593.40



FILTER FANS AND FILTER ASSEMBLIES

Code	Description	Trade Price
DETF 1500	240v AC fan, flow rate 100m ³ /hr, dim's 160x160x69mm	£27.06
DEFI 1500	Vent cover for DETF 1500	£10.68



DOCUMENT HOLDER

Code	Trade Price
DEA4 – A4 size holder	£9.78
DEA5 – A5 size holder	£8.53



ALUMINIUM PROFILE PANEL HEATERS, PTC RESISTOR, SELF-REGULATING ELEMENTS

Code	Description	Trade Price
DEHT 050	Power supply 110-250V AC/DC, 30W heating capacity, electronic thermal overload. Aluminium profile, unit size 138x70x59mm	£65.32
DEHT 075	Power supply 110-250V AC/DC, 30W heating capacity, electronic thermal overload. Aluminium profile, unit size 178x70x59mm	£97.98



TEMPERATURE AND RH CONTROLLERS

Code	Description	Trade Price
DEHTT	T'Stat, N/C, setting range 0-60°C, max current 10A @ 240V AC, size 61x34x38mm	£13.06
DETVT	T'Stat, N/O, setting range 0-60°C, max current 15A @ 240V AC, size 61x34x38mm	£13.06
DETHVT	Dual T'Stat, N/O & N/C, setting range (both) 0-60°C, max current 15A (N/O) and 10A (N/C) both @ 240V AC, size 65x59x42mm	£29.03

CABLE GLANDS



IP68 CABLE GLANDS

Pack of 10 x nylon glands with locknuts in grey or black.

Grey (RAL7035)	Black (RAL9005)	Thread Size	CABLE Ø	Pack Qty	Trade Price
HYCGLGM16-10	HYCGLBM16-10	M16	5-10mm	10	£8.45
HYCGLGM20-10	HYCGLBM20-10	M20	8-13mm	10	£8.77
HYCGLGM25-10	HYCGLBM25-10	M25	11-17mm	10	£13.06



IP68 NICKEL-PLATED BRASS CABLE GLANDS

Pack of 5 x cable glands with locknuts.

Code	Description	CABLE Ø	Trade Price
HYCGLM16LNBP-5	M16 long thread gland and locknuts	5-9mm	£33.13
HYCGLM20LNBP-5	M20 long thread gland and locknuts	9-13mm	£34.96



IP68 KWIK-FIX CABLE GLANDS

Pack of 5 x nylon glands, No locknuts required, in grey (RAL7035) or black (RAL9005).

Grey (RAL7035)	Black (RAL9005)	Thread Size	CABLE Ø	Pack Qty	Trade Price
K341-1016-00-5	K341-1016-02-5	M16	5-10mm	5	£7.21
K341-1020-00-5	K341-1020-02-5	M20	8-13mm	5	£7.91
K341-1025-00-5	K341-1025-02-5	M25	11-17mm	5	£8.88



IP69K, IP68 RATED VENTING ELEMENTS

Protect enclosures from excessive pressure due to internal/external temperature fluctuations. Manufactured from flame retardant PA6.

Code	Description	Pack Qty	Trade Price
JDAE12PA-5	Grey (RAL7035) M12 mounting	5	£18.74
JDAE20PA-5	Grey (RAL7035) M20 mounting	5	£52.78
JDAE12ES4305	Stainless steel M12 mounting	1	£17.47

ROTARY ISOLATOR SWITCHES

IP66 rated, high reliability, large housing for fast & easy installation, Polycarbonate UL94V-0 flame retardant housing, 4-pole, can be padlocked (not included).



AC Range

Code	Description	Trade Price
DE1S.04.20AC	IP66 rated AC Rotary Isolator Switch. 20A	£13.97
DE1S.04.25AC	IP66 rated AC Rotary Isolator Switch. 25A	£14.03
DE1S.04.32AC	IP66 rated AC Rotary Isolator Switch. 32A	£16.41
DE1S.04.40AC	IP66 rated AC Rotary Isolator Switch. 40A	£17.83
DE1S.04.63AC	IP66 rated AC Rotary Isolator Switch. 63A	£25.27
DE1S.04.80AC	IP66 rated AC Rotary Isolator Switch. 80A	£33.74



DC Range

Code	Description	Trade Price
DE1S.04.16DC	IP66 rated DC Rotary Isolator Switch. 16A	£54.25
DE1S.04.25DC	IP66 rated DC Rotary Isolator Switch. 25A	£55.24
DE1S.04.32DC	IP66 rated DC Rotary Isolator Switch. 32A	£59.66

IP56-IP66 CONTROL STATIONS

Emergency stop, stop/start and momentary action push-button switches. Rugged ABS housing. Supplied with 1xN/O and 1xN/C contact as standard. Contact rating 240V (3A) / 415V (1.5A). Available DIN rail and chassis/wall mounting bracket accessories DEDB/DEFB (except palm/foot switch).

E-STOPS & PALM/FOOT SWITCH CONTROL STATION

	Code	Description	Trade Price
	1DE.01.01AB-W	Twist to release emergency stop	£25.44
	1DE.01.03AB-W	Emergency stop, key reset	£26.63
	1DE.SP.21NR-W	Palm/foot switch red button	£48.54
	1DE.SP.21NG-W	Palm/foot switch green button	£48.54
	1DE.SP.21NB-W	Palm/foot switch black button	£48.54

STANDARD PUSH-BUTTONS AND SELECTOR SWITCH CONTROL STATIONS

	Code	Description	Trade Price
	1DE.01.04AB-W	Single stop push-button stations, grey cover, black base, red flush push-button	£16.59
	1DE.01.06AB-W	Single start push-button stations, grey cover, black base, green flush push-button	£16.41
	1DE.01.08AB-W	2-position selector, grey cover, black base	£17.98
	1DE.01.09AB-W	Key 2-position selector, grey cover, black base	£28.15

DE ENCLOSURES WITH HOLE - Up to IP67, subject to which control is fitted

Enclosures for 22mm control station switches. Rugged ABS housing & threaded M20 cable gland knockouts. Compatible with non-invasive clip-on DIN rail & chassis/wall-mounting bracket accessories DEDB/DEFB.



Holes	Grey Top	Trade Price
One	DE01S-A-GB-1	£3.62
Two	DE02S-A-GB-2	£4.90
Three	DE03S-A-GB-3	£5.15
Four	DE04S-A-GB-4	£5.80



Holes	Yellow Top	Trade Price
One	DE01D-A-YB-1	£8.00
Two	DE02D-A-YB-2	£10.29
Three	DE03D-A-YB-3	£12.06
Four	DE04D-A-YB-4	£13.62

COMPONENTS




22mm switches, contact blocks & accessories for use with the DE0x hole enclosures. All switches are supplied with 1x N/O and 1x N/C contact blocks and have a mechanical life of 1 million operations. Contact block electrical rating is AC12 Resistive / AC15 Electromagnetic – 240V (3A) / 415V (1.5A).




SWITCHES

	Code	Description	Trade Price
	DPB22-F11R	Momentary flush head, IP66, red cap	£6.95
	DPB22-F11G	Momentary flush head, IP66, green cap	£6.95
	DPB22-F11Y	Momentary flush head, IP66, yellow cap	£6.95
	DPB22-F11B	Momentary flush head, IP66, black cap	£6.95
	DPB22-R11R	E-stop, push, twist release, EN418 fail safe, 40mm mushroom head, IP56	£8.73
	DPB22-K11R	E-stop, key release, EN418 fail safe, 40mm mushroom head, IP56	£15.91
	DPB22-P11G	Latching push release, elevated head, IP66, green cap	£9.30

	Code	Description	Trade Price
	DPB22-L11B	Latching push release, flush head, IP66, black cap	£9.12
	DPB22-M11R	Momentary 40mm mushroom head, IP56, red button	£7.42
	DPB22-M11G	Momentary 40mm mushroom head, IP56, green button	£7.42
	DPB22-M11Y	Momentary 40mm mushroom head, IP56, yellow button	£7.42
	DSS22-S211B	Rotary switch, standard shaft, 2 position black lever	£8.33
	DSS22-S311B	Rotary switch, standard shaft, 3 position black lever	£8.16
	DPB22-S11R	E-stop, push pull, twist release, EN418 fail safe, 35mm mushroom head, IP56	£9.82
	DCB-01, N/C	Contact block, 1b, 220-240V, 3A/380-415V, 1.5A	£2.13
	DCB-10, N/O	Contact block, 1a, 220-240V, 3A/380-415V, 1.5A	£2.13

LAMPS & ACCESSORIES

	Code	Description	Trade Price
	DLD22-RE	Mono block, flush head lamp, red, AC/DC 100-120V	£3.51
	DLD22-GE	Mono block, flush head lamp, green, AC/DC 100-120V	£3.51
	DLD22-RI	Mono block, flush head lamp, red, AC/DC 220-240V	£3.51
	DLD22-GI	Mono block, flush head lamp, green, AC/DC 220-240V	£3.51
	DLD22-YI	Mono block, flush head lamp, yellow, AC/DC 220-240V	£3.51
	DM01-OY	Yellow shroud	£2.53
	DM01-OW	White shroud	£2.53
	DPPB22-R01C	Yellow emergency stop legend plate	£1.27
	DPPB-02T	Fixing nut tool	£1.66
	DPPB22-01C	Legend holder, black	£0.40
	DE0DB	Black snap-on mounting DIN rail bracket for hole enclosures and control stations (except Palm/Foot switch)	£0.51
	DEFB	Black snap-on mounting flange bracket for hole enclosures and control stations (except Palm/Foot switch)	£0.91

WEATHERPROOF CONNECTORS

High IP-rated weatherproof connectors with a temperature range of -20°C to +125°C. ENEC and UL approved. Suitable for internal & external use. Robust construction, ideal for cable jointing/power-splitting applications.

WEATHERPROOF
ELECTRICAL CONNECTORS

Teetubes

IP68 2 entry, in-line connectors, all with a max conductor size of 4mm² and a max current of 32A.



Code	Poles	Min-Max Cable Ø	Trade Price
TTK20BK-W	3	5-13mm	£11.81
TTK25BK-W	5	8-17mm	£16.01
THB.390.A1A-W	3	7-13.5mm	£13.58
THB.391.A2A	2	7-12mm	£13.92
THB.391.A3A	3	7-12mm	£14.54
THB.391.A4A	4	7-12mm	£15.23



Accessories

Code		Trade Price
6000012200	3-pole insert assembly tool	£0.97
6000009600	5-pole insert assembly tool	£0.97

Teetubes

IP68 3 entry, power splitter connectors, all with a max conductor size of 4mm².



Code	Poles	Length	Style	Min-Max Cable Ø	Max Current (A)	Trade Price
THB.390.C1A-W	3	Short	T	7-13.5mm	32A	£15.31
THB.399.A3A	3	Long	Y	7-13.5mm	32A	£23.39
THB.399.A5A	5	Long	Y	7-13.5mm	32A	£16.95
THB.399.D6A	6	Long	Y	8-17.5mm	16A	£40.69
THB.399.D9B	3+3	Long	Y	8-17mm	16A	£38.56
THB.399.E3A	3	Short	Y	7-13.5mm	25A	£23.89
THB.402.C1A	3	Long	T	7-13.5mm	32A	£18.84
THB.402.C2E	3+3	Long	T	7-13.5mm	32A	£26.89
THB.402.D1F	5	Long	T	7-13.5mm (2), 8-17mm (1)	32A	£23.17
THB.402.D1G	6	Long	T	7-13.5mm (2), 8-17mm (1)	32A	£23.88



Teebox

IP67 & IP68 standard connectors



Code	Poles	Cable Entries	Max Conductor	Min-Max Cable Ø	Max Current	Description	Trade Price
THK.200.C2E-W	3	3	2.5mm ²	4-9.5mm	25A	IP67 splitter box	£14.93
THK.200.3T-W	3	3	4mm ²	4-9.5mm	32A	IP67 splitter box. Utilises unique T style terminal block to save time on assembly	£29.75
THK.209.08-W	8	4	4mm ²	7-14mm	32A	IP68 splitter box	£41.50
THK.209.44-W	4+4	4	4mm ²	7-14mm	32A	IP68 splitter box	£42.71
THK.209.03H-W	3	4	6mm ²	7-14mm	32A	IP68 splitter box	£32.96



Teeplugs

IP68 micro and mid-sized connectors, all with a max conductor size of 4mm², a min-max cable Ø of 7-12mm, and a max current of 17.5A.



Code	Poles	Connection Type	Trade Price
THK.384.03-W	3	Plug & Socket Kit	£25.06
THK.405.03-W	3	Plug & Socket Kit	£35.91
THK.381.02-W	2	Micro Plug & Socket Kit 2P	£19.12
THK.381.03-W	3	Micro Plug & Socket Kit 3P	£19.69
THB.384.A2A	2	Plug	£11.12
THB.384.B2A	2	Socket	£13.25
THB.384.A1A	3	Plug	£11.26
THB.384.B1A	3	Socket	£13.45

Teeplugs

IP68 standard sized connectors, all with a max conductor size of 4mm² and a min-max cable Ø of 7-14mm.



Code	Poles	Connection Type	Trade Price
THB.387.A4A	4	Plug	£14.47
THB.387.B4A	4	Socket	£14.47
THB.387.C4A	4	Chassis Mount Plug	£13.66
THB.387.D4A	4	Chassis Mount Socket	£13.66
THB.405.A2A	5	Plug	£17.15
THB.405.B2A	5	Socket	£18.57
THB.406.A1A	5	Chassis Mount Plug	£13.66
THB.405.A2B	3	Plug	£12.25
THB.405.B2B	3	Socket	£18.24
THB.406.A1B	3	Chassis Mount Plug	£12.43



THK.381 The Micro Plug & Socket Kit with a diameter of only 14mm. Now available in 2-pole or 3-pole options



POWER DISTRIBUTION CABLES

IP68 standard sized connectors, all with a max conductor size of 4mm².



POWER DISTRIBUTION CABLES

THB.392 available as XDry anti-condensation version THB.392.R4A

Code	Poles	Cable Entries	Input/Output	Min-Max Cable Ø	Max Current	Trade Price
THB.392.A4A	3	4	1/3	8-12mm	17.5A	£36.30
THB.392.R4A	4	4	1/3	8-12mm	17.5A	£41.65
THB.392.A4B	4	3	1/2	8-12mm	17.5A	£33.49

PRE-INSTALLED GEL CONNECTORS

IP68 rated splitter and junction boxes.



Code	Poles	Cable Entries	Max Conductor	Min-Max Cable Ø	Max Current	Description	Trade Price
5625/415/221	4	4	2.5mm ²	6.5-12mm	16A	Splitter box	£25.31
5625/1121	3	4	4mm ²	6.5-12mm	16A	Splitter box	£24.30
5633/86	3	2	2.5mm ²	8-10mm	16A	Junction box	£19.83
5665/221	2	2	2.5mm ²	4.8-6mm	10A	Mini junction box	£13.44

DEC SERIES 3 POLE CONTACTORS

110V, 240V and 415V coils available



	240V	415V	Details	Trade Price
	DEC-11D10I7	DEC-11D10L7	3-pole contactor, AC1 25A 240/415V AC coil	£25.84
	DEC-12D10I7	DEC-12D10L7	3-pole contactor, AC1 25A 240/415V AC coil	£28.43
	DEC-18D10I7	DEC-18D10L7	3-pole contactor, AC1 32A 240/415V AC coil	£40.32
	DEC-25D10I7	DEC-25D10L7	3-pole contactor, AC1 40A 240/415V AC coil	£59.45
	DEC-35D10I7	DEC-35D10L7	3-pole contactor, AC1 50A 240/415V AC coil	£67.20



THERMAL OVERLOAD RELAYS

Code	Relay Setting Range RC (FLC) A	Contactor Type	Trade Price
DETH-0.75	0.5-0.75	DEC-11D	£26.20
DETH-1.05	0.75-1.05	DEC-11D	£26.20
DETH-1.45	1.05-1.45	DEC-11D	£26.20
DETH-2.5	1.8-2.5	DEC-11D	£26.20
DETH-4	2.9-4	DEC-11D	£26.20
DETH-6.5	4.5-6.5	DEC-11D	£26.20
DETH-8	6-8	DEC-11D	£26.20
DETH-11	8-11	DEC-11D	£26.20
DETH-14	11-14	DEC-11D/DEC-12D	£27.29
DETH-15	10-15	DEC-12D	£27.29
DETH-17	14-17	DEC-12D	£27.29
DETH-21	17-21	DEC-18D	£27.29
DETH-25	21-25	DEC-18D	£28.94
DETH-28	24-28	DEC-25D	£30.03
DETH-32	26-32	DEC-25D	£31.64
DETH-38	30-38	DEC-35D	£37.11

MOTOR CONTROL GEAR PRODUCTS

IP65 DOL (direct online starter) Motor Starters



Code	DOL	Coil (V)	Load	Trade Price
DMS1-11DI7	5.5KW	240V	5.5KW@ 400V/ 440V	£48.24
DMS1-11DL7	5.5KW	415V	5.5KW@ 400V/ 440V	£48.24
DMS1-12D17	7.5KW	240V	7.5KW@ 400V/440V	£53.99
DMS1-12DL7	7.5KW	415V	7.5KW@ 400V/440V	£53.99
DMS1-18D17	10KW	240V	10KW@ 400V/440V	£64.90

PLUG IN RELAYS & RELAY SOCKETS



Complete with test button, LED and mechanical status indicator. cRUus and TÜV approved.



Code	Description	Max Current	Trade Price
DPRN.122	2 pole, 8 pin 240v AC relay	10A/250V AC	£8.09
DPRN.132	3 pole, 11 pin 240v AC relay	10A/250V AC	£8.71
DPRN.121	2 pole, 8 pin 110v AC relay	10A/250V AC	£8.09
DPRN.131	3 pole, 11 pin 110v AC relay	10A/250V AC	£8.71
DPRN.123	2 pole, 8 pin 24v AC relay	10A/250V AC	£8.09
DPRN.124	2 pole, 8 pin 24v DC relay	10A/250V AC	£8.09
DPRN.133	3 pole, 11 pin 24v AC relay	10A/250V AC	£8.71
DPRN.134	3 pole, 11 pin 24v DC relay	10A/250V AC	£8.71
DPRN.142	4 pole, 14 pin 240v AC relay	5A/250V AC	£6.11
DPRN.144	4 pole, 14 pin 24v DC relay	5A/250V AC	£6.11
DPRN.141	4 pole, 14 pin 110v AC relay	5A/250V AC	£6.11
DPRN.143	4 pole, 14 pin 24v AC relay	5A/250V AC	£6.11
DS08.1	2 pole, 8 pin screw terminal relay socket		£3.61
DS11.1	3 pole, 11 pin screw terminal relay socket		£3.72
DS14.1	4 pole, 14 pin screw terminal relay socket		£3.90

POLYPROPYLENE KWIK-SNAP CONNECTORS



Code	Description	Trade Price
HYKS-02412PP	24A 8mm, 4mm ²	£1.05
HYKS-03212PP	32A 10mm, 6mm ²	£1.16
HYKS-05712PP	57A 12mm, 10mm ²	£1.84
HYKS-07612PP	76A 14.5mm, 16mm ²	£3.40

CERAMIC TERMINAL BLOCKS

Steatite connectors, VDE approved, rated up to 1,000°C.



Code	Description	Pack QTY	Trade Price
DESTB-0251-W	1P 32A 2.5mm ²	5	£2.80
DESTB-0252-W	2P 32A 2.5mm ²	5	£4.58
DESTB-0253-W	3P 32A 2.5mm ²	5	£7.18
DESTB-0254-W	4P 32A 2.5mm ²	5	£8.81
DESTB-0401-W	1P 41A 4mm ²	5	£4.72
DESTB-0402-W	2P 41A 4mm ²	5	£7.58
DESTB-0403-W	3P 41A 4mm ²	5	£10.43
DESTB-0404-W	4P 41A 4mm ²	5	£14.55
DESTB-1002-W	2P 57A 10 mm ²	5	£10.30
DESTB-1003-W	3P 57A 10 mm ²	5	£14.29

KWIK WIRE CONNECTORS



Code	Description	Trade Price
HYKW-02	2P 20A red Kwik-Wire	£0.18
HYKW-03	3P 20A orange Kwik-Wire	£0.22
HYKW-04	4P 20A yellow Kwik-Wire	£0.27
HYKW-05	5P 20A grey Kwik-Wire	£0.29
HYKW-08	8P 20A black Kwik-Wire	£0.58

KWIK-LEVER


Screwless lever connectors. 32 amp.



Code	Levers	Trade Price
HYKL-02	2	£0.31
HYKL-03	3	£0.37
HYKL-05	5	£0.58

Lost the spark with
your current supplier?

Get connected with Hylec



Meet the Debox[®] family of junction boxes

debox[®] S

debox[®] SL

debox[®] SL2

debox[®] SM⁴⁰



debox[®] 11



DEKSB-11
Size: 85 x 85 x 53mm
Trade Price
£4.95

FEATURES

32A/400V

INTERNAL/EXTERNAL USE

REGISTERED DESIGN 008190920

IP66 VIA MEMBRANE CABLE ENTRIES

IP67 VIA CABLE GLANDS & THREADED CABLE ENTRIES

SUPPLIED WITH 5 (3-POLE) SCREWLESS CONNECTORS



(MF) Maintenance Free

Screwless Cable Clamps
Screwless Cable Connection
Connectors Included
Click-Close Box
Locking Clip (& Spare)
Fold-Out Fixing Lugs
® Registered Design
No. Of Poles
Amps

	debox [®] S	debox [®] SL	debox [®] SL2	debox [®] SM ⁴⁰
(MF) Maintenance Free	✗	✓	✓	✗
Screwless Cable Clamps	✓	✓	✓	✓
Screwless Cable Connection	✗	✓	✓	✗
Connectors Included	✓	✓	✓	✓
Click-Close Box	✓	✓	✓	✓
Locking Clip (& Spare)	✓	✓	✓	✓
Fold-Out Fixing Lugs	✓	✓	✓	✓
® Registered Design	✓	✓	✓	✓
No. Of Poles	4	4	5	4
Amps	24	16	32	24



Code	Product	Carton Pieces	CDU Pieces	Unit Price
DEKSB-11	Debox 11	76pcs	24pcs	£4.95
DEKSB-006	Debox SM40	400pcs	72pcs	£1.29
DEKSB-003	Debox SL	400 pcs	72 pcs	£2.06
DEKSB-002	Debox S	400pcs	72pcs	£1.15
DEKSB-004/5	Debox SL2	240 pcs	54 pcs	£2.42

MAKING THE RIGHT CONNECTIONS

WWW.HYLEC-APL.COM | SALES@HYLEC-APL.COM | 01933 234400

HYL_3189/SFC/NOV 22

